

Section 1: Identification

Product Identifier

Trade Name: P2-003

Chemical Name: Polyurethane Resin

Recommended Use: Component for the manufacture of Polyurethanes

Restrictions on Use:

Chemical Manufacturer Information

 Name:
 Earth Contact Products
 Phone:
 (800) 327-0007

 Address:
 15612 S Keeler Terrace, Olathe, KS, 66062
 Phone 2:
 (913) 393-0007

Website: www.earthcontactproducts.com Emergency Phone: CHEMTREC: 800-424-9300

Section 2: Hazard Identification

Classification of the substance or mixture:

GHS Classification:		
Skin irritation, Category 3	•	Eye irritation, Category 2

GHS Labeling:



WARNING

Hazard Statements:		
May cause skin irritation	May cause eye irritation	
May cause respiratory irritation		

Pre	Precautionary Statements:				
•	Do not breathe fume/gas/mist/vapors/spray	•	Wear protective gloves/eye protection/face protection		
•	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	•	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing		
•	IF ON SKIN: Wash with plenty of soap and				
	water				

Other Hazards:



Section 3: Composition

Hazardous Components

Type of product: Mixture

CAS#	Weight %	<u>Name</u>	
Proprietary	<1	Tertiary amine catalysts	
460-73-1	<4	1,1,1,3,3-Pentafluoropropane (CF3CH2CHF2 or HFC-245fa)	

Section 4: First Aid Measures

Inhalation:	Move to fresh air if symptoms develop. If breathing is difficult, give oxygen and call physician.
Eye Contact:	Flush with water for at least 15 minutes. See a physician if irritation develops.
Ingestion:	Induce vomiting; get medical attention
Most Important symptoms and effects, acute and delayed:	May cause skin or eye irritation upon contact. Avoid breathing vapors. The dense vapors can displace and reduce breathing air in confined or unventilated spaces causing asphyxiation. Overexposure may cause tremors, confusion, irritation, and may result in cardiac sensitization.
Indication of immediate medical attention and special treatment, if applicable:	N/A
Skin Contact:	Wash with soap and water at first opportunity.

Section 5: Fire-Fighting Measures

Suitable extinguishing media:	Water, dry chemicals, CO ₂	
Unsuitable extinguishing media:	None	
Special hazards arising from the chemical:	Overheated containers may rupture due to pressure produced by CF3CH2CHF2. CF3CH2CHF2 burns to form acids and noxious gases.	
Precautions for fire-fighters:	A self-contained breathing apparatus should be worn to protect against toxic and irritating vapors.	

Section 6: Accidental Release Measures

Personal precautions, protective equipment, and	Clear area. Ensure adequate ventilation. Wear suitable personal	
emergency procedures:	protective clothing and equipment.	
Environmental precautions:	Do not discharge into drains/surface waters/groundwater	
	Absorb with sawdust, etc., and shovel into container. Waste material	
Methods and material for containment and cleanup:	should be disposed of under conditions which meet federal, state, and	
_	local environmental regulations.	



Section 7: Handling and Storage

Precautions for safe handling:	Store between 65°F and 85°F out of sunlight. Relieve pressure slowly when opening container. Under no circumstances should empty drums be burned or cut open with an electric or gas torch.
Conditions for safe storage, including any incompatibilities:	Keep tightly sealed.

Section 8: Exposure Controls and PPE

Exposure Limits

Component:	Туре	Value
Tertiary Amine Catalysts ¹	TWA	None established
1,1,1,3,3-Pentafluoropropane ¹ (CF3CH2CHF2 or HFC-245fa)	TWA	300 ppm recommended

¹Not listed as a carcinogen (NTA, IARC, OSHA)

Exposure Controls

Respiratory Protection: The specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination levels of the specific respirator selected must be based on contamination and the specific respirator selected must be also selected must be based on contamination and the specific respirator selected must be also se		
	material found in the workplace and the working limits of the respirator. A supplied	
	air, full-face mask, positive pressure or continuous flow respirator or a supplied air	
	hood is required when airborne concentrations are unknown or exceed threshold	
	limit values. A positive pressure, self-contained breathing apparatus can be used in	
	emergencies or other unusual situations. Full-face air purifying respirators equipped	
	with organic vapor cartridges can be used in certain situations, see OSHA standard	
	29CFR 1910.134. All equipment must be NIOSH approved and maintained.	
Hand, eye, skin, body	Wear goggles or chemical safety glasses and chemically resistant rubber or plastic gloves.	
protection:	Avoid eye and skin contact. Eye wash system and showers should be available.	

Section 9: Physical and Chemical Properties

Basic chemical and physical properties

Appearance:	Liquid	Flammability:	No
Color:	Black	Upper/lower flammability or	N/A
		explosive limits:	
Odor:	Ethereal odor	Vapor pressure:	N/A
Odor threshold:	N/A	Vapor density:	N/A
pH:	N/A	Relative density:	1.07g/mL
Melting pt/freezing pt:	<32°F	Solubility(ies):	Slightly soluble in water
Boiling pt/boiling range:	60°F	Partition coefficient (n-	N/A
		octanol/water):	
Flash point:	>200°F	Auto-ignition temperature:	>500°F
Evaporation rate:	Slower than ether	Decomposition temperature:	>500°F



Section 10: Stability and Reactivity

Chemical stability:	Stable
Possibility of hazardous reactions:	N/A
Conditions to avoid:	Temperatures over 85°F
Incompatible materials:	Isocyanates and other chemicals that react with hydroxyl groups.
Hazardous decomposition products:	When burned, CO, CO ₂ , NO _x aliphatic fragments, halogens, halogen acids and possibly
mazardous decomposition products.	carbonyl halides.

Section 11: Toxicological Information

Acute toxicity:	May cause skin irritation
Chronic toxicity:	Not available
Likely routes of exposure:	Skin
Symptoms related to physical, chemical and toxicological	May cause skin irritation
characteristics:	
Delayed and immediate effects and chronic effects from	May cause skin irritation; avoid contact with eyes
short and long-term exposure:	
Numerical toxicity measures:	Not available

Section 12: Ecological Information

Ecotoxicity:	Not a marine pollutant
Persistence and degradability:	No known significant effects
Bioaccumulative potential:	Does not bioaccumulate
Mobility in soil:	

Section 13: Disposal

Waste disposal:	R component drums can be sent to drum reconditioners or disposed of as ordinary industrial waste in	
	compliance with pertinent regulations	

Section 14: Transport

UN number:	Not regulated
UN Proper shipping name:	Not regulated
Transport Hazard class(es):	Not regulated
Packing group, if	Not regulated
applicable:	
Marine pollutant (YorN):	N
Special precautions:	None



Section 15: Regulatory

Relevant safety, health, and environmental regulations

Inventory Status:	All components TSCA listed
US Regulations:	No ingredients listed
US Superfund Amendments and Reauthorization Act	No ingredients listed
(SARA) Title III Section 313 information:	

Section 16: Other

SDS Preparation Date:	12/28/2017
-----------------------	------------

IMPORTANT NOTICES

This notification is a part of the Safety Data Sheet document and must not be detached. Any copying and redistribution of the Safety Data Sheet shall include copying of this notice and attaching the copy to the redistributed Safety Data Sheet copies.

This information is furnished without warranty, expressed, or implied, except that it is accurate to the best knowledge of ECP. The data on this sheet relates only to the specific material designated herein. ECP assumes no legal responsibility for use or reliance upon these data.